

Hatch Well Log

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE COEUR D'ALENE-SPOKANE RIVER
BASIN WATER SYSTEM

CIVIL CASE NUMBER: 49576

Ident. Number 95-11940Date Received: 7-8-09Receipt No: N021184Received By: cm

NOTICE OF CLAIM TO A WATER RIGHT

ACQUIRED UNDER STATE LAW

For Domestic and/or Stockwater Purposes

Where Daily Use is less than 13,000 gallons per day

RECEIVED

JUL - 8 2009

IDWR/North

1. Name of Claimant(s) William A. or Christeen L. Rush Phone (208) 623-6062Mailing Address P.O. Box 250 Athol ID Zip 83801-0250
Street or Box City State2. Date of Priority: (Only one per claim) 05-28-86
Month/Day/Year (YYYY)3. Source of water supply (Check one) Ground Water (X) or Other () (a) _____
which is tributary to (b) _____4. Location of Point of Diversion is: Township 53N, Range 04W, Section 12,
SE 1/4 of SE 1/4, or Govt. Lot _____ BM. County of Kootenai;
Parcel (PIN) no. 53N04W-12-7700 x

Additional points of diversion if any: _____

If available, GPS coordinates: _____

5. Description of diverting works (Wells, Pumps, Spring boxes, Pipelines, Etc.) including the dates of any changes or enlargements in use, the dimensions of the diversion works as constructed and as enlarged and the depth of each well.

96-85-N-78 well completed 1985 connected
to one home. Well completed 5-19-85.

6. Water is claimed for the following: (limited to Domestic and/or Stockwater uses. See page 1 of the instructions.)

For Domestic purposes from 01-01 to 12-31 amount 0.04 cfs (X) or AFY ()

For _____ purposes from _____ to _____ amount _____

7. Total Quantity claimed 0.04 cfs (X) or AFY ()

8. Non-irrigation uses. Describe fully. (eg. Domestic: give number of households served if single ownership;

Stockwater and Number of livestock) ONE HOME

JUL - 8 2009

9. Location of Place of Use is: Township 53N, Range 04W, Section 12,

SE 1/4 of SE 1/4, Govt. Lot BM. Parcel (PIN) no.

If different than shown in Item 4

for (Check One) Domestic (X) Stock () Domestic and Stock ()

Additional places of use, if any NA

10. In which county (ies) are lands listed above as place of use located? Kootenai

11. Do you own the property listed above as place of use? Yes (X) No ()

If the answer is No, describe in Remarks below the authority you have to claim this water right.

12. Describe any other water rights used at the same place and for the same purposes as described above.

 or None (X)

13. Remarks:

14. Basis of Claim (Check One) Beneficial Use (X) Posted Notice () License () Permit () Decree ()

Court Decree Date Plaintiff v. Defendant

If applicable provide IDWR Water Right Number

15. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notices in the Coeur d'Alene-Spokane River Basin Adjudication." (b.) I/We do () do not (X) wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: Four

For Individuals: I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant (s)

William A. Rush

Date: 07-08-09

Christeen L. Rush

Date: 7-8-09

For Organizations: I do solemnly swear or affirm under penalty of perjury that I am

 of ,
Title Organization

that I have signed the foregoing document in the space below as

 of ,
Title Organization

and that the statements contained in the foregoing document are true and correct.

Signature of Authorized Agent Date

Title and Organization

16. Notice of Appearance:

Notice is hereby given that I, , will be acting as attorney at law of behalf of the claimant signing above, and that all notices required by law to be mailed by the director to the claimant signing above should be mailed to me at the address listed below.

Signature

Address

Date

Last Name Identification No.

SCANNED
JUL - 8 2009

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT



USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>DUANE HARDING</u> Address <u>630 ROSEWOOD</u> <u>LA HABRA, CALIF.</u> Owner's Permit No. <u>96-85-N-18</u>	7. WATER LEVEL Static water level <u>50</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>10-15</u></td> <td><u>520</u></td> <td><u>2</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>10-15</u>	<u>520</u>	<u>2</u>																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																													
<u>10-15</u>	<u>520</u>	<u>2</u>																																													
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>12"</u></td> <td><u>0</u></td> <td><u>90</u></td> <td><u>SAND GRAVEL</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td><u>8"</u></td> <td><u>20</u></td> <td><u>282</u></td> <td><u>SAND GRAVEL Boulders</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td><u>6"</u></td> <td><u>282</u></td> <td><u>520</u></td> <td><u>Unconsolidated sand and gravel</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>Boulders AT 520</u></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>Relinquish TO S</u></td> <td></td> <td></td> </tr> <tr> <td><u>5"</u></td> <td><u>520</u></td> <td><u>540</u></td> <td><u>SAND GRAVEL Boulders</u></td> <td>☒</td> <td>☐</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>12"</u>	<u>0</u>	<u>90</u>	<u>SAND GRAVEL</u>	☒	☐	<u>8"</u>	<u>20</u>	<u>282</u>	<u>SAND GRAVEL Boulders</u>	☒	☐	<u>6"</u>	<u>282</u>	<u>520</u>	<u>Unconsolidated sand and gravel</u>	☒	☐				<u>Boulders AT 520</u>						<u>Relinquish TO S</u>			<u>5"</u>	<u>520</u>	<u>540</u>	<u>SAND GRAVEL Boulders</u>	☒	☐
Bore Diam.	Depth		Material	Water																																											
	From	To		Yes	No																																										
<u>12"</u>	<u>0</u>	<u>90</u>	<u>SAND GRAVEL</u>	☒	☐																																										
<u>8"</u>	<u>20</u>	<u>282</u>	<u>SAND GRAVEL Boulders</u>	☒	☐																																										
<u>6"</u>	<u>282</u>	<u>520</u>	<u>Unconsolidated sand and gravel</u>	☒	☐																																										
			<u>Boulders AT 520</u>																																												
			<u>Relinquish TO S</u>																																												
<u>5"</u>	<u>520</u>	<u>540</u>	<u>SAND GRAVEL Boulders</u>	☒	☐																																										
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	100732 RECEIVED JUL 5 1985 Department of Water Resources																																														
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>375</u> inches</td> <td><u>8</u> inches</td> <td><u>2</u> feet</td> <td><u>282</u> feet</td> </tr> <tr> <td><u>1250</u> inches</td> <td><u>6</u> inches</td> <td><u>120</u> feet</td> <td><u>520</u> feet</td> </tr> <tr> <td><u>250</u> inches</td> <td><u>5</u> inches</td> <td><u>460</u> feet</td> <td><u>540</u> feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>3</u> perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td><u>3</u> perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td><u>3</u> perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>375</u> inches	<u>8</u> inches	<u>2</u> feet	<u>282</u> feet	<u>1250</u> inches	<u>6</u> inches	<u>120</u> feet	<u>520</u> feet	<u>250</u> inches	<u>5</u> inches	<u>460</u> feet	<u>540</u> feet	Number	From	To	<u>3</u> perforations	_____ feet	_____ feet	<u>3</u> perforations	_____ feet	_____ feet	<u>3</u> perforations	_____ feet	_____ feet	RECEIVED JUL 1 1985 Department of Water Resources Northern District Office																		
Thickness	Diameter	From	To																																												
<u>375</u> inches	<u>8</u> inches	<u>2</u> feet	<u>282</u> feet																																												
<u>1250</u> inches	<u>6</u> inches	<u>120</u> feet	<u>520</u> feet																																												
<u>250</u> inches	<u>5</u> inches	<u>460</u> feet	<u>540</u> feet																																												
Number	From	To																																													
<u>3</u> perforations	_____ feet	_____ feet																																													
<u>3</u> perforations	_____ feet	_____ feet																																													
<u>3</u> perforations	_____ feet	_____ feet																																													
6. LOCATION OF WELL Sketch map location must agree with written location. N W E S Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> <u>SE 1/4 SE 1/4</u> Sec. <u>12</u> T. <u>53</u> N. <u>4</u> R. <u>4</u> W.	10. Work started <u>5-10-85</u> finished <u>5-19-85</u>																																														
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>UNITED DRILLING</u> No. <u>414</u> Address <u>PO Box 2499</u> Date <u>6-15-85</u> Signed by (Firm Official) <u>Robert R. Volking</u> and (Operator) <u>Tim Volking</u>	RECEIVED JUL 1 1985 Department of Water Resources Northern District Office																																														



R. C. WORST & Company, Inc.

(208) 664-2133 / 625 Best Avenue / Coeur d'Alene, Idaho 83814

Date 5 / 16 / 19 86

QUOTE

No. 4854

D.O.W. 540'

10-15 G.P.M.

Static 50'

+DH 540' + 115 + 25 =
680' @ 10 G.P.M.

TO Duane Harding

ADDRESS

CITY

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL	AMOUNT
	To Furnish and Install:			
	A 3 hp. Red Jacket submersible pump on 1½ galvanized pipe to a depth of 530'. The piping at the well head is to exit underground 4-4½' through a 1½ pitless adapter. The well is to be capped with a 6" water tight well cap incorporating a 1½' vent.			
	The owner is to furnish excavation, pipe and wire from the well to the house.			
	At the house 1 Well-X-Trol 252 tank (84 gallons) is to be installed which incorporates 1" galvanized piping, pressure switch and gauge, pressure relief valve and a 1" gate valve.			
	Owner to provide an area on a wall next to the pressure tank where this contractor is to install electrical equipment for the pump. Owner to provide electrical power to well location.			
	Lump Sum:			\$3,843.00
	The above system is to be completely interconnected so as the owner can extend his house system from the gate valve provided at the pressure tank location. The electrical permit is included in the contract price.			
	Terms: 50% down- remainder due on completion unless credit application is approved prior to start of contract			

Authorized Signature

Lynn Reynolds

Acceptance Signature

5 foot Hydrant

Total

\$3,843.00

Sales Tax

TOTAL

Note: This proposal may be withdrawn by us if not accepted within 30 days.

5-28-86
bell pump
and
holding tank.



R. C. WORST & Company, Inc.

(208) 664-2133 / 625 Best Avenue / Coeur d'Alene, Idaho 83814

SOLD TO Trans. Holding #1556
ADDRESS RE-1 Box 31m
CITY AND ID 83560

Date	5/28/86	19	86
Rep. No.	75856	P/O No.	
Sold By	gn	Filed By	CS
Ship Via		Date	
Cash	☒	Credit	☐
Charge	☒	On A/C	☐
		JO	

DESCRIPTION	U/I	QUANTITY	PRICE	AMOUNT
3 hp. Rod Racket submersible pump on 1 1/4 gal. size to 530',				
the pump and all metal parts				
underground 4-4 1/2" through 1 1/4				
pieces of pipe.				
At the house 1 well - 1-1/2" 252.				
tanks installed.				
per contract		1	3843.00	3843.00
Quote no. 49354				

This is just
for your records,
we have
received payment
in full.
Thank you
CWS

Minimum	charge of 50¢, is made on all past due account balances. This is at an annual rate of 18% and is non-negotiable insofar as the minimum charge is concerned.
SALES	Water Pumps and Supplies Sewage Pumps and Supplies Sewage Treatment Equipment
Non-Tax Total	3843.00
Taxable Total	
TAX	
TOTAL	3843.00

T R Sect NE SE

RUSH PIN 53N04W-12-7700

