

10/04/2005

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 1-2061

NAME AND ADDRESS: UNITED STATES OF AMERICA ACTING THROUGH
REGIONAL DIRECTOR PN REGION
BUREAU OF RECLAMATION
1150 N CURTIS RD STE 100
BOISE ID 83706-1234

The beneficial use of the water represented hereby is for the landowners within the Falls Irrigation District pursuant to Contract No. 14-06-100-851, dated December 9, 1955 (as may be supplemented or amended) between the United States of America through the U.S. Bureau of Reclamation and the Falls Irrigation District for irrigation and other permitted purposes as authorized by the Act of August 31, 1954, Ch. 1159, 68 Stat. 1026, of the Michaud Flats Project.

SOURCE: SNAKE RIVER

TRIBUTARY: COLUMBIA RIVER

QUANTITY: 153.000 CFS
27,121.50 AFY

Use of this right with Right No. 1-13 is limited to a total combined diversion rate of 153 cfs.

PRIORITY DATE: 06/11/1956

POINT OF DIVERSION:
T07S R31E S30 SWSE Within POWER County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	04/01 10/31	153.000 CFS 27,121.50 AFY

PLACE OF USE:

12,621 ACRES TOTAL

PROFILED

SCANNED

OCT 23 2005

Place of use is within the boundary of Falls Irrigation District pursuant to Section 43-323, Idaho Code.

The boundary encompassing the place of use for this water right is described with a digital boundary as defined by I.C. Section 42-202B(2) and authorized pursuant to I.C. Section 42-1411(2)(h). The data comprising the digital boundary are incorporated herein by reference and are stored on a CD-ROM disk issued in duplicate originals on file with the SRBA District Court and the Idaho Department of Water Resources. A map depicting the place of use is attached hereto to illustrate the place of use described by the digital boundary.

This right is limited to the irrigation of 7843 acres within the place of use described above in a single irrigation season.

Use of this right with Right No. 1-13 is limited to the irrigation of a combined total of 7843 acres in a single irrigation season.

The rights listed below are limited to the irrigation of a combined total of 12,621 acres in a single irrigation season. Combined right nos. 01-13, 01-2061, 29-2262, 29-2267, 29-2288, 29-2306, 29-2307, 29-2310, 29-2341, 29-2380, 29-2568, 29-2614, 29-11167, 29-11168, 29-11169, 29-13388, 29-13389, 29-13426, 29-13427.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

Use of water under this water right will be regulated by the watermaster of State Water District No. 01, Snake River.

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

Water is delivered through Michaud Canal at American Falls.

A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.

11/01/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 01-2061

UNITED STATES OF AMERICA ACTING THROUGH
REGIONAL DIRECTOR PN REGION CODE PN-3100
BUREAU OF RECLAMATION
1150 N CURTIS RD SUITE 100
BOISE ID 83706-1234
Telephone Number: (208) 378-5306


1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

11/4/05

SIGNATURE:



Please print your name: Jerrold D Gregg, Area Manager,
Snake River Area Office

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

KMS
11/9

PROFILED

SCANNED
NOV 16 2005


RECEIVED
NOV 07 2005
Department of Water Resources
Eastern Region

Falls Irrigation District Service Area Boundary

Water Right: 1-13
|-206|

- Boundary
- Township/Range
- Sections


0 1 2 3 4 5 Miles



GIS Place of Use Illustration
1987 NAPP Photography
Prepared by: E. Carlsen
Date: July 2005



MAXIMUM MONTHLY DIVERSION 1958-2000
13076400 MICHAUD CANAL



WATER RIGHT LICENSE

THIS IS TO CERTIFY, that United States of America acting through the Bureau of Reclamation, has complied with the terms and conditions of Permit of Boise, Idaho, No. 01-2061 issued pursuant to Application for Permit dated June 11, 1956, and has submitted proof to the Department of Water Resources on September 30, 1971, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 153.0 cfs of water from Snake River, tributary to Columbia River, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Description and location of place of use:

[illegible]

Total number of acres irrigated _____

Witness the seal and signature of _____ Director, affixed at Boise, Idaho, this 24 day of
March 19 82

Director

FIELD REPORT

- TOTAL ACREAGE**

Permit No. 26602/01-2061
Examination for b/u




Diagram of System

SEE ATTACHED ILLUSTRATIONS

MICROFILMED

DATE OF EXAM 4-5-77, 4-12-77

ACREAGE

Found 7749
Recommended 7749

Irrigation Requirement 3.5 Ac Ft/Ac

USE

153.0 27121.5
Irrigation Q ~~29.98~~ c.f.s. V = ~~24628.47~~ AF/Ann. from 4-1 to 10-31
Domestic Q = ~~see overlap~~ c.f.s. V = AF/Ann. from to
Livestock Q ~~Review~~ c.f.s. V = AF/Ann. from to

Is water co-mingled? yes ☒ no

Name source: ground water
Twp. 7S N/S, Rge. 31E E/W, B.M., Sec. 32 Sub. SW 1/4 SE 1/4 Power
8S 30E 23 NW SE, Power County

Exchange? yes no

Name source exchanged with:
Twp. N/S, Rge. E/W, B.M., Sec. Sub. 1/4 1/4 County

Point of injection:
Twp. N/S, Rge. E/W, B.M., Sec. Sub. 1/4 1/4 County

Point of exchange:
Twp. N/S, Rge. E/W, B.M., Sec. Sub. 1/4 1/4 County

(See attached information on measuring device)

Total Q measured 153 cfs capacity Method of measurement totalizing recordings

* see overlap. type 227 wall
Total Q recommended 29.98 c.f.s. No. mounted Type V Condition good
Hersey Sparling Totalizing Meter

Total V recommended 24628.47 af/ann.

Recommended Amendments:

P.D.
Place of Use ☒ original land list did not include T. 7S, R. 31E, Sec. 12
Other
None

MEASUREMENT CALCULATION:
For "Q", refer to attached recording charts.

$V = 3.5 \times 7749 = 27121.5 \text{ af/ann.}$ $29.98 \times 246 \times 1.9835 = 24628.47$
 $0.02 \text{ cfs/ac} = 7749 \times 0.02 = 154.98 \text{ cfs}$ $154.98 \times 1.9835 \times 246 = 75,621.1$ $\frac{75,621.1}{148/77}$
Allow capacity = 153.0

SYSTEM DESCRIPTION:

Four Worthington centrifugal pumps with Ideal Electric synchronous motors
1) S/N 1520485 rated 18,850 gpm at 720 rpm No. 209352 rated 1250 hp at 720 rpm
2) S/N 1520486 rated 18,850 gpm at 720 rpm No. 209351 rated 1250 hp at 720 rpm
3) S/N 1520487 rated 12,566 gpm at 900 rpm No. 209355 rated 800 hp at 900 rpm
4) S/N 1520488 rated 6,283 gpm at 1200 rpm No. 209357 rated 400 hp at 1200 rpm

WORKS:
Water is pumped from American Falls Reservoir into 60" diameter pipe which empties into Falls Irrigation Canal (SENE, Sec. 32, T. 7S, R. 31E) at the bifurcation reservoir. Examination was conducted with the aid of Warren Travis, Manager for Falls Irrigation District. This license in conjunction with license 01-0013 brings the land described up to the full inch per acre.

Examiner's Signature Ernest McClellan Date 12/8/77
Checked by John D. Cashon Date 3/19/79
Approved by Robyn Date 11/19/1981

* See overlap review for explanation on amount changes.

Land list established from licensing field exam.

LAND LIST ATTACHMENT

Description and location of place of use:

see microfilm

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
6 ^s	32 ^s	32								3		22	38		L ¹ 5 17	L ¹ 4 34			114 ✓
7 ^s	32 ^s	5	L ¹ 4 34	L ¹ 5 35			L ¹ 5 40	L ¹ 6 40	39	39	40	37	38	(41)	L ¹ 5 35	L ¹ 6 36			454 ✓
"	"	6	L ¹ 1 37	L ¹ 2 11	37	40				12	39	L ¹ 4 11	L ¹ 5 22	38					247 ✓
"	"	7	36	37	38	32	36	L ¹ 1 27	L ¹ 2 37	39	25	L ¹ 3 39	L ¹ 4 32		17				295 ✓
"	"	8	L ¹ 1 33	L ¹ 2 34							25	40	40	22	L ¹ 3 33	L ¹ 4 11			238 ✓
		17					9	27	21			21	16						94 ✓
		18	37	39	38	35	39	38	39	37	40	L ¹ 3 36	L ¹ 4 29	25			8		440 ✓
7 ^s	31 ^s	11											13	25	20	20	23	10	111 ✓ 1982
		12	3		16	19				39		3		29	32	19	19		179 ✓
		13	32	38	38	38	23	22	34	37	38	37	35	37	35	36	37	28	545 ✓
		14	38	31	34	23	39	38	30	32	35	39	26	31	35	20	37	35	532 ✓
		15	39	40	40	36	29	1	28	33	35			37	35	33	40	39	415 ✓
		20				22									26		10		30 ✓
		21	29	4	39	40				19	40	31	20	39	39	40	34	16	267 ✓
		22	19	31	18	24	39	35	7	32	23	17	5	11	30	35			326 ✓
		23	36	39	30	24	36	25	31	33	3	16							273 ✓
		24		20			35	37	14	1									137 ✓
		* 28	2	3			35			28	3								71 ✓
		31												L ¹ 4 2	L ¹ 5 37	L ¹ 6 15	29	37	127 ✓
		32			27	1			37	34				25	1	32	39		196 ✓
8 ^s	31 ^s	6	L ¹ 1 31	L ¹ 2 27		18									14	5	26	28	149 ✓ 3376
		7	38	36	37	39	24	L ¹ 1 1	L ¹ 2 17	35	37	L ¹ 3 19	L ¹ 4 11	35	39	38			410 ✓
		18					25	L ¹ 1 1	L ¹ 2 2	10									28 ✓
8 ^s	30 ^s	1				L ¹ 1 8						L ¹ 2 2		16	34		32		92 ✓
		12	37	37	36	23	L ¹ 1 18				15			30	21	5	27	20	268 ✓
		13		19	25	32	20	6	24	24	37	39	38	35	39	35			272 ✓
		14												10		6	36		52 ✓
		* 22														34	30	39	103 ✓
		23	37	36	37	37	5		6	12	38	33	33	40	40	40	40	40	474 ✓
		27	38	29	36	17	31	21	39	39	13	31							302 ✓
		28	29	25		27													130 ✓

Total number of acres irrigated

7749 ✓

□ = covered by Decree 01-0013

* = not covered by 01-0013

EMC
12/8/97

Description and location of place of use:

Total number of acres
to be irrigated: _____

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

Section 14, Township 8 South, Range 30 East of the Boise Meridian. Beginning at the Northwest corner of Section 15; thence running South 51° 37' West 1856 feet to intersect left bank of the Snake River; thence North 5° 37' West along left bank 662 feet to the North line of Section 15; thence East along said line 1865 feet to the place of beginning.

Tax No. 31, Township 8 South, Range 30 East of the Boise Meridian. All that portion of the Northwest Quarter of the Northwest Quarter, Section 14, Township 8 South, Range 30 East of the Boise Meridian, excepting from said tract the following described tract of land, to-wit: Beginning at the Southwest corner of the said Northwest Quarter of the Northwest Quarter of Section 14; running thence East 495.0 feet; thence North 440.0 feet; thence West 495.0 feet; thence South 440 feet to the point of beginning.

G. Falls Irrigation District.

01 (0) 125.00 cubic feet of water per second.

Point of Diversion

different
p/d Lot Four (4) Southeast Quarter of the Southeast Quarter (SE 1/4 SE 1/4) of Section Thirty (30), Township Seven (7) South, Range Thirty (30) E. B. M.

Lands to Which Appurtenant

All irrigable lands within the district boundary in Secs. 5, 6, 7, 8, 17, 18 of Twp. 7 S., R. 32 E., B. M.

All irrigable lands within the district boundary in Secs. 12, 13, 14, 15, 20, 21, 22, 23, 24, 27, 31, 32 of Twp. 7 S., R. 31 E., B. M.

All irrigable lands within the district boundary in Secs. 5, 6, 7, 18 of Twp. 8 S., R. 31 E., B. M.

All irrigable lands within the district boundary in Secs. 1, 11, 12, 13, 14, 15, 21, 22, 23, 24, 26, 27, 28 of Twp. 8 S., R. 30 E., B. M.

H. A & B Irrigation District.

267.00 cubic feet of water per second.

Point of Diversion

Southeast Quarter of the Southwest Quarter (SE 1/4 SW 1/4), Section Twenty-four (24), Township Ten (10) South, Range Twenty-one (21) E. B. M.

Lands to Which Appurtenant

Township Eight (8) South, Range Twenty-five (25) East of Boise Meridian; Sections Two (2) through Twenty-four (24) inclusive, Sections Twenty-seven (27) through Thirty (30) inclusive;

Township Seven (7) South, Range Twenty-five (25) East of Boise Meridian; Sections Twenty-seven (27) through Thirty-four (34) inclusive;

✓ = covered by 01-2061 ○ = not covered by 01-2061

Overlap Review for 01-2061

Decree 01-0013 Snake River P/D L44 (SESE)
Sec. 30 T7S R30E

125.0 c/s

P/U see field exam &
copy of decree
attached

Explanation -

The field examiner recommended the following amounts

$$7749 \text{ ac} \times .02 = 154.98$$

$$\begin{array}{r} - 125.00 \\ \hline 29.98 \end{array} \quad \begin{array}{l} \text{Decree 01-0013} \\ \text{License for 01-2061} \end{array}$$

Taking a closer look at the lands in question, I find that Decree 01-0013 does not identify the amount of acres in each tract, & has more land than what the field examiner found for 01-2061. See copy of decree.

I also found that 01-2061 has lands that are not covered in Decree 01-0013. See field exam's land list.

MICROFILMED

Conclusion:

- 1) Both rights overlap some lands ^{but not} all lands
- 2) Both rights have the same source but different P/D's.

Recommend licensing 01-2061 for .02 cfs/AC & limiting to capacity of system. (153.0 cfs)

Also condition the license that when combined w/01-0013 will not exceed .02 cfs/AC nor 3.5 AFA/AC.

With this in mind - if one P/D breaks down then most of the lands will be able to be irrigated effectively.

RC $\frac{11/19}{81}$

MICROFILMED

SPARLING



Measuring device in use during
INDICATOR-TOTALIZER-RECORDER
licensing field ops

2-31


12" CIRCULAR CHART—DIFFERENTIAL GOVERNOR
7 DAY TELECHRON CHART DRIVE

SCALE - 150.0 C.F.S.
REGISTRATION: .10 ACRE



RECEIVED
OCT 2 8 14 AM '56
MICHAUD FLATS
PROJECT OFFICE



INTERMEDIATE CONNECTIONS
FURNISHED BY CUSTOMER
TO COMPLETE INSTALLATION



SEE DATA SHEETS FOR INFORMATION COVERING METER SIZES



OPERATED FROM 60" SPARLING MASTERFLO TYPE 906 METER

APPROXIMATE SHIPPING WEIGHT 100 LBS

Accurate down to 3 per cent of maximum scale. Flow range 33 to 1. Totalization and rate indication available in any standard liquid measure.

Dual coordinating scales with evenly spaced calibration. Upper scale readings available in 10, 15, 20, 30, 40, 50, and 75 maximums with additional ciphers as required.

Mechanism and panel face are supported on an elbow hinge that allows them to be drawn forward through the door opening and turned right or left for easy inspection.

Molded plastic inner case protects mechanism from dust and dampness.

Suitable transmitter for mounting on meter-head furnished with instrument. External wiring and power connections not included. Common three wire circuit, as shown, is recommended for short connections. Two wire telephone circuit with rectifier and relay may be used for long distance transmission.

Cabinet finished in two-tone green; or all black if specified.

CF-313 X #425-17504
APRIL, 1955 superseding A26, 1007
INDICATOR-TOTALIZER-RECORDER, TYPE-227
12" Circular Chart-Differential Governor

INSTRUMENTS



CF-313 X

UNDAY
NOON

Maximum Q = 153 cfs.


EMC
4/14/77

HERSEY-SPARLING METER CO.
5

Copy of recording disk
received from Walter J. Smith
Manager of F.R.D.


12-15-7

INDICATING-TOTALIZING-RECORDING



Maximum Q = 153 cfs.

ENC
4/12/77



HERSEY-SPARLING METER COMPANY
APR 1977

Copy of recording disc
received from Warren
Traffic manager of F.I.R.

12-15-7

INDICATING-TOTALIZING-RECORDING

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	32E	29	-	-	19.2	-	-	-	6.4	26.6	-	34.0	34.0	-	35.8	34.6	-	-	194.6
6S	32E	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25.7	25.7
6S	32E	32	-	35.0	34.7	-	38.9	38.8	39.3	39.6	29.0	38.8	22.4	38.0	-	23.5	33.8	-	411.8
6S	32E	31	39.3	31.5	39.8	39.7	2.8	-	23.2	34.0	38.4	38.4	38.7	40.0	38.7	34.9	36.5	18.2	499.1
6S	31E	36	-	-	26.4	27.3	-	-	24.5	39.3	12.6	38.5	38.8	39.0	39.1	38.5	38.1	-	362.1
6S	31E	35	-	-	-	-	-	-	-	-	-	-	-	-	.2	-	-	23.6	23.8
7S	32E	5	-	34.3	34.6	-	40.0	40.0	39.2	38.6	40.2	36.5	37.8	41.0	-	35.1	36.2	-	453.5
7S	32E	6	37.0	10.8	36.7	40.0	19.6	37.5	10.1	11.7	38.8	10.7	22.4	32.5	40.0	40.0	39.3	38.7	470.8
7S	32E	8	-	32.8	33.9	-	-	-	-	-	25.1	39.9	39.8	22.1	-	33.3	10.7	-	237.6
7S	32E	7	34.2	37.2	37.9	32.3	36.2	27.2	37.3	34.7	25.0	38.8	31.8	-	0.1	17.4	-	-	396.8
7S	32E	17	-	-	-	-	8.8	26.5	20.5	-	-	21.3	15.8	-	-	-	-	-	92.9
7S	32E	18	37.1	38.9	37.5	34.5	38.6	38.0	39.0	37.0	39.9	36.0	22.9	24.8	-	-	-	7.6	438.3
7S	32E	19	-	-	-	-	40.0	30.0	-	-	-	-	-	-	-	-	-	-	70.0
7S	31E	1	38.7	39.3	38.9	37.8	39.3	38.7	32.5	38.4	36.8	37.6	38.5	38.9	36.6	39.0	38.9	16.8	593.7
7S	31E	2	16.8	0.1	10.0	40.2	-	-	-	-	-	-	-	11.8	38.6	14.3	32.0	37.4	206.2
7S	31E	11	38.6	39.9	38.5	37.6	32.4	2.7	21.4	32.5	19.0	16.6	13.2	24.9	20.3	19.6	22.6	2.5	394.3
7S	31E	10	-	-	-	-	-	-	-	-	-	-	-	-	1.3	0.1	25.7	17.0	54.1
7S	31E	13	31.9	37.9	37.9	38.1	23.4	21.9	34.1	37.0	37.5	36.7	35.2	36.6	35.4	35.8	36.7	22.6	543.7
7S	31E	14	38.0	30.6	33.9	23.0	39.1	38.0	30.0	32.9	35.0	38.9	26.4	30.9	35.1	29.9	36.6	35.2	533.0
7S	31E	15	38.4	39.6	39.9	36.2	29.3	1.3	27.8	32.7	35.4	-	-	32.0	35.4	33.3	38.8	38.6	465.2
7S	31E	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-0-
7S	31E	24	-	19.8	-	-	34.9	32.2	12.6	2.7	-	-	-	-	-	-	-	-	106.2
7S	31E	23	35.9	37.6	30.4	24.4	36.0	26.2	30.5	33.1	3.0	16.1	-	-	-	-	-	-	273.2
7S	31E	22	19.4	31.1	17.8	22.7	38.8	35.3	7.0	32.1	22.7	16.7	5.0	11.1	30.2	34.6	-	-	325.5
7S	31E	21	28.5	4.0	38.6	40.2	-	-	-	18.5	39.5	31.1	19.9	39.2	39.3	39.5	34.3	15.6	388.2
7S	31E	20	0.1	-	-	21.8	-	-	-	-	-	-	-	-	28.4	-	-	13.0	63.3
7S	31E	28	1.7	3.3	-	-	34.5	-	-	27.8	3.4	-	-	-	-	-	-	-	70.7
7S	31E	32	-	-	27.0	1.3	-	-	36.7	33.9	27.1	39.0	32.9	24.1	0.9	36.7	39.2	-	293.3
7S	31E	31	-	-	-	-	-	-	-	-	-	-	-	2.4	37.3	15.3	29.3	36.9	121.2
8S	31E	6	31.1	27.4	10.3	18.2	9.3	14.2	19.0	36.6	31.9	20.0	11.8	11.4	13.9	16.9	25.5	28.2	325.7
8S	31E	7	37.9	36.1	36.9	39.3	28.5	10.8	17.0	35.0	36.8	18.9	10.8	34.9	39.3	38.4	-	-	420.6
8S	31E	18	-	-	-	-	25.1	1.0	2.1	9.6	-	-	-	-	-	-	-	-	37.8

Total number of acres irrigated _____

[illegible]

11,621.1

Permit No. 26602 ✓
 CERTIFICATE OF COMPLETION OF WORKS

TO ALL WHOM IT MAY CONCERN:

This is to certify that THE UNITED STATES OF AMERICA Acting through THE BUREAU OF RECLAMATION of Boise, County of Ada, and State of Idaho, the holder of Permit No. 26602, issued upon Application No. 34428 bearing date of priority of June 11, 1956, authorizing the diversion of 160 second feet of the waters of Snake River County of Power, State of Idaho, for Irrigation and domestic purposes, has fully complied with the provisions of the Laws of the State of Idaho relating to the proof of completion of the works of diversion set out and described in said Permit; that said works are adequate for diverting and conveying to the place of intended use 160 second feet of the waters of Snake River tributary of Columbia River that the point of diversion of said waters SE $\frac{1}{4}$, Sec. 30, T. 7 S., R. 31 E., B.M. and that the lands proposed to be irrigated by the use of said water are described as follows, to-wit: approximately 11, 790.9 acres in Secs. 35, 36, T. 6 S., R. 31 E., B.M.; Secs. 29, 30, 31, 32, T. 6 S., R. 32 E., B.M.; Secs. 1, 2, 10, 11, 12, 13, 14, 15, 16, 20, 21, 22, 23, 24, 28, 29, 31, 32, T. 7 S., R. 31 E., B.M.; Secs. 6, 7, 8, 17, 18, T. 7 S., R. 32 E., B.M.; Secs. 1, 11, 12, 13, 14, 15, 21, 22, 23, 24, 26, 27, 28, T. 8 S., R. 30 E., B.M.; Secs. 5, 6, 7, 10, T. 8 S., R. 31 E., B.M.

Witness my hand this 19th day of April, A. D. 1962.

/s/ CARL E. TAITAN
 Assistant State Reclamation Engineer

Proof of Completion of Works Made: December 20, 1960

EXTENSION OF TIME APPLICATION ✓

I, R. Keith Higginson, State Reclamation Engineer of the State of Idaho, hereby approve the above application for extension of time for Permit 26602 to November 13, 1969.

Witness my hand this 7th day of September, 1967.

/s/ R. KEITH HIGGINSON
 State Reclamation Engineer

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

REPORT OF ENGINEER

Permit No. 26602

This proof is for Completion of Works

In Water District No. _____

1. Name of applicant U. S. Bureau of Reclamation
2. Source of water supply: Snake River
3. Location of point of diversion: Is in the SE¹ of Section 30
T. 7 S. R. 31 E. 30 County of Power
4. Describe works as they exist, giving dimensions and capacities of same: River pumping plant includes four, electrically driven, horizontal shaft, centrifugal-type pump units of varying capacities. TDH 140-195 feet. Total power rating 3,700 h. p. Discharge line, 300 feet, 60-inch steel and 5,170 feet of concrete pipe, discharging into two canals through bifurcation works. Estimate maximum capacity with high reservoir pool 160 cfs. Main Canal East, initial bottom width 10 feet, side slopes 2:1, length 10.5 miles, estimated maximum capacity 110 cfs. Main Canal West, initial bottom width 7 feet, side slopes 1-1/2:1, length 12 miles and estimated maximum capacity 50 cfs. Approximately 14 miles of open earth lateral and 14.5 miles of buried steel pipe laterals have been constructed

5. Water is used for: irrigation and domestic
6. State whether or not water has been turned into works of diversion: _____

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

T. 6 S., R. 31 E., Sec. 35-36; T. 6 S., R. 32 E., Sec. 29-30-31-32;
T. 7 S., R. 31 E., Sec. 1-2-10-11-12-13-14-15-16-20-21-22-23-24-28-29-31-32;
T. 7 S., R. 32 E., Sec. 6-7-8-17-18;
T. 8 S., R. 31 E., Sec. 5-6-7-18;
T. 8 S., R. 30 E., Sec. 1-11-12-13-14-15-21-22-23-24-26-27-28.

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach? _____

Remarks: _____

This examination was made on the _____ day of Sept, 1960

(Signed) H. H. Garton
Examiner.

26602

U. S. Bureau of Reclamation
Regional Director, Region 1
Box 937, Boise, Idaho
Permit No. 26602

Examination for Completion of Works

County Power

Sec. 30 T. 28 R. 31 NW

Quantity: 160 c.f.s.

Source: Snake River

P.D.: SE 1/4, Sec. 30, T. 28, R. 31 E. B. 4

Use: Irrigation & Domestic

Filed: June 11, 1956

Dus: 9/4, 11/13/67

Extension: -

Completion of Works: due 11/13/61

Other Rights: See attached schedule

Michael

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF ENGINEER

PERMIT NO. 26602

REPORT ON PROOF OF Completion of Works

U. S. Bureau of Reclamation, Box 937, Boise, Idaho
ATT: Regional Director, Region 1

3-22-62

REL

Permit #26602
Michaud Flats Project

4. Describe works as they exist, giving dimensions and capacities of same.

River pumping plant includes four, electrically driven, horizontal-shaft, centrifugal-type pump units of varying capacities. TDH 140-195 feet. Total power rating 3,700 h.p. Discharge line, 300 feet 60-inch steel and 5,710 feet of concrete pipe, discharging into two canals through bifurcation works. Estimate maximum capacity with high reservoir pool 160 cfs. Main Canal East, initial bottom width 10 feet, side slopes 2:1, length 10.5 miles, estimated maximum capacity 110 cfs. Main Canal West, initial bottom width 7 feet, side slopes 1-1/2:1, length 12 miles, and estimated maximum capacity 50 cfs. Approximately 14 miles of open earth laterals and 14.5 miles of buried steel pipe laterals have been constructed.

26602

Project Lands

Table 2.--Land class summary --
detailed land classification, 1954

Michaud Flats Project, Idaho

Land Class	Acres	Percent of Irrigable Land	Percent of Project Area
<u>Gravity</u>			
1	1,670	15	
2	3,775	34	
3	2,185	19	
4P	850	7	
Total Gravity	8,480	75	
<u>Sprinkler</u>			
4S(1)	360	3	
4S(2)	1,640	15	
4S(3)	575	5	
4S(4P)	185	2	
Total Sprinkler	2,760	25	
Total Irrigable	11,240	100	74
Class 6	2,780		18
R.O.W.	1,280		8
Total Nonirrigable	4,060		26
Project Total	15,300		100



IN REPLY REFER TO:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION
REGIONAL OFFICE, REGION I
BOX 937, BOISE, IDAHO

Mr. Mark R. Kulp
State Reclamation Engineer
Boise, Idaho

RECEIVED
JUN 1 1956

Dear Mr. Kulp:

Department of Reclamation

In connection with the Michaud Flats Federal Reclamation Project, there is enclosed for filing an application for permit for the diversion of waters at American Falls Dam from the Snake River, together with an application for ground water diversion. Also enclosed are vouchers covering the statutory fees, one for the diversion permit and one for the ground water permit. Please execute these vouchers and return them to this office. The usual treasury checks will be made available to your office promptly.

Particular emphasis is made of the explanatory material appearing under the heading "Remarks" on both of the applications for permits. The Michaud Flats Project, which was authorized by the Congress under the act of August 31, 1954 (68 Stat. 1062) contemplated a rather unusual water supply situation. The project will rely almost wholly on stored water, and accordingly I am enclosing a copy of the project repayment contract with the Falls Irrigation District. This contract sets up the contractual provisions made by the United States with the irrigation district to provide stored water for the project and these provisions are consistent with, and in many cases identical to, corollary provisions made with the other water users in the Snake River Valley relating to the use of American Falls and Palisades space for irrigation water supply. In addition to these storage water provisions, however, the project contemplates the coordinated operation of pumping from wells, some of which are now drilled and some of which will be drilled in connection with the development of the project. The project operation, however, will be such that the return flow from the project supplied storage water will offset any depletion water tributary to the Snake River that might be diverted by the project wells. Thus, the project will provide by means of return flow water from purchased stored water a source of water to make up for any depletion that ground water pumping might have on water tributary to the Snake River. Thus, the project will provide a balanced water supply operation not in conflict with prior water rights.


Because of the foregoing complex interrelated nature of the project water supply, we are anxious to have the two filings handled together and given a common priority date. We fully recognize that these filings for

26602

diversion of water from the Snake River will be subject to all existing prior rights, both natural flow and storage, including prior rights based on usage under the constitutional provisions of the State of Idaho.

If you desire any further information in connection with these applications, it will be provided promptly.

Sincerely yours,

A handwritten signature in dark ink, appearing to read "H. T. Wells", with a horizontal line extending from the end of the signature.

Regional Director

Enclosures

26602

AUG 24 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

DIRK KEMPTHORNE
GOVERNORKARL J. DREHER
DIRECTOR

June 15, 2001

UNITED STATES OF AMERICA ACTING THROUGH
REGIONAL DIRECTOR PN REGION CODE PN - 3100
BUREAU OF RECLAMATION
1150 N CURTIS RD STE 100
BOISE ID 83706-5155

RE: NOTICE OF CHANGE OF ADDRESS

Dear Sir or Madam:

Per your request, I have changed the address on the adjudication numbers listed on the following page.

Water right numbers A29-02262, A29-02306, A29-02307, A29-02310, A29-02341, A29-02567, A29-02568 and A29-02571 do not have Bureau of Reclamation as the current owner. The current owner in our database is Falls Irrigation District. Therefore, these rights have not been changed.

All other water right numbers not listed above or on the following page will be processed by our other regions and mailed to you at a later date.

If you have any questions feel free to contact this office at 208-525-7161.

Respectfully submitted,

A handwritten signature in cursive script that reads 'Cheri Vandermeulen'.

Cheri Vandermeulen
Records Clerk
Eastern Region

Enclosure (1)

A01-00211A	A21-04155
A01-00214A	A21-04156
A01-00217	A21-04157
A01-00218	A21-10560
A01-00219	A21-10601
A01-00284	A22-07022
A01-02016	A22-07062
A01-02040	A23-04073
A01-02060	A23-10062
A01-02061	A25-07004
A01-02064	A25-07135
A01-02068	A25-07201
A01-04024	A25-12222
A01-04025	A25-12223
A01-04046	A25-12224
A01-04047	A25-12225
A01-04048	A25-12226
A01-04049	A25-12227
A01-04050	A25-12228
A01-04051	A25-12229
A01-04052	A25-12231
A01-04053	A25-12234
A01-04054	A25-12236
A01-04055	A29-02380
A01-04056	A29-02614A
A01-04057	A29-10045
A01-04060	A29-10046
A01-10034	A29-10047
A01-10042	A35-10358
A01-10043	
A01-10044	
A01-10045	
A01-10053	
A21-00024	
A21-00026	
A21-00027	
A21-00120	
A21-00121	
A21-00122	
A21-00123	
A21-00124	
A21-00125	
A21-00126	
A21-02156	

RECEIVED

CHANGE IN ADDRESS

JUN 15 2001

This form is solely for purposes of notifying IDWR of a change in address of an adiudication claim. Department of Water Resources
System Region

[1] Water Right Number(s): See attached list

[] Old Mailing Address: United States of America Acting through
Regional Director PN Region
Bureau of Reclamation
Box 043-550 West Fort St.
Boise ID 83724

[4] New Mailing Address: United States of America Acting through
Regional Director PN Region Code PN-3100
Bureau of Reclamation
1150 N Curtis Rd Suite 100
Boise ID 83706-5155

[1] Telephone Number: (208) 378-5306 Gail McGarry

[4] Signature of Claimant: Glenn S. Walton

[4] Date: 6/14/01

FOR IDWR USE ONLY:

Initial Review and Data-Entry

Date: By:

Further Action Needed:

Further Action Taken

Date: By:

Final Review and Data-Entry

Date: By:

Contact ID#
22796

AUG 24 2001

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A01-02061
Date Received: 9/14/1988
Receipt No: _____
Received By: _____

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: UNITED STATES OF AMERICA, ACTING THROUGH 208-554-11
Address: REGIONAL DIRECTOR, P.N. REGION
BUREAU OF RECLAMATION
BOX 043-550 WEST FORT STREET
BOISE, ID 83724

A0102061



2. Date of Priority: JUN 11, 1956

3. Source: SNAKE RIVER Trib. to: COLUMBIA RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
07S	31E	30	SW	SE			POWER

5. Description of diverting works:
AMERICAN FALLS DAM - FALLS IRRIGATION DISTRICT (MICHAUD)

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	10/31	153.000		

7. Total Quantity Appropriated is:
153.000 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 31198.6 Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
----------	-------	---------	--------	-----	-----	-----	-------

11. Place of use in counties:

A01-02061

Page 1

Date: 05/03/89

MICROFILMED

NOV 05 1996

12. Do you own the property listed above as place of use? NO

13. Other Water Rights Used:
01-00013, 29-02568, 29-02310

14. Remarks:
P/U 8913.9 ACRES WITHIN FALLS IRRIGATION DISTRICT
MULTI-YEAR STORAGE FACILITY
WHEN COMBINED WITH DECREE 01-00013 SHOULD PROVIDE NO MORE THAN
0.02 CFS/ACRE OR 3.5 ACRE FEET/ACRE
INCLUDED IN TOTAL ACREAGE ARE LANDS COVERED UNDER RIGHT 29-02568
(WELL P - 160 ACRES) AND 29-02310 (WELL Q - 175 ACRES) - WELLS
WHICH PUMP INTO WEST CANAL.

15. Basis of Claim: LICENSE
Water Right Number: 26602

Identification No. _____

Permit No. 26602

STATE OF IDAHO
DEPARTMENT OF [REDACTED] **WATER ADMINISTRATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder The United States of America, acting through the Bureau of Reclamation
b) Post Office Address P. O. Box 8008, Boise, Idaho 83707

2. Permit Number 26602

3. Date of Priority that you are prepared to establish June 11, 1956

4. a) Source from which water was appropriated Snake River

b) Location of the point of diversion: SW 1/4 SE 1/4, Section 30

Township 7 South, Range 31 East Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

amount 160 cfs for irrigation purposes from April 10 to October 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 33,100 cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Measured by use of a Sparling flow meter by the Manager of the Falls Irrigation District. The measurements are checked periodically by a current meter used by a hydrographer of State Water District No. 07.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief

description of diversion structure and/or canal or ditch) Water passed through one of the outlets of the American Falls Dam to a 4-unit pumping plant, pumped through a 60-inch diameter, 5,600-foot long discharge pipe, then distributed through gravity canal and lateral system. Pumping plant has a capacity of 126 cfs when the reservoir is low, 160 cfs with a full reservoir.

b) Describe the type and size of measuring device which you have installed at your point of diversion: A 5-foot diameter Sparling meter is installed in the discharge line of the pumping plant. This is checked periodically by current meter.

c) Give well drillers name and address and date the well was completed _____

*Ham topped 16-15-11
1951*

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

[illegible]

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

September 29, 1971
(Date)

E. F. Sullivan
(Signature)

State of Idaho)
County of Ada) ss.

On this 29th day of September, 1971, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she)(they) executed the same.

Notary Public residing at Boise, Idaho

My commission expires 6-10-75