

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE COEUR D'ALENE-SPOKANE RIVER
BASIN WATER SYSTEM

CIVIL CASE NUMBER: 49576

Ident. Number 95-14033Date Received: 9-17-09Receipt No: 2022144Received By: HS

NOTICE OF CLAIM TO A WATER RIGHT

ACQUIRED UNDER STATE LAW

For Domestic and/or Stockwater Purposes

Where Daily Use is less than 13,000 gallons per day

1. Name of Claimant(s) Sean & Karlina Hoisington Phone (208) 762-0184

Mailing Address P.O. Box 2465 Hayden Zip 83835
Street or Box City State

2. Date of Priority: (Only one per claim) 2-23-93
Month/Day/Year (YYYY)

3. Source of water supply (Check one) Ground Water (☒ or Other () (a) _____
which is tributary to (b) _____

4. Location of Point of Diversion is: Township 53N, Range 4W, Section 31
SE 1/4 of SE 1/4, or Govt. Lot _____ BM. County of Kootenai;
Parcel (PIN) no. 53N04W319450

Additional points of diversion if any: _____

If available, GPS coordinates: N47° 53.435' W116° 52.367'

5. Description of diverting works (Wells, Pumps, Spring boxes, Pipelines, Etc.) including the dates of any changes or enlargements in use, the dimensions of the diversion works as constructed and as enlarged and the depth of each well.

ORIGINALLY INSTALLED WELL (435') WITH PUMP,
BLADDER TANKS & ASSOCIATED PIPING TO DISTRIBUTION.

6. Water is claimed for the following: (limited to Domestic and/or Stockwater uses. See page 1 of the instructions.)

For Domestic purposes from 1-1 to 12-31 amount 0.04 cfs() or AFY()

For Stockwater purposes from 1-1 to 12-31 amount 0.04

7. Total Quantity claimed 0.08 cfs (☒ or AFY ()

8. Non-irrigation uses. Describe fully. (eg. Domestic: give number of households served if single ownership;

Stockwater and Number of livestock) Domestic: 7 people

Stockwater: 2 cows, 2 goats,

SCANNED
SEP 17 2009

9. Location of Place of Use is: Township S3N, Range 4W, Section 31,
SE 1/4 of SE 1/4, Govt. Lot _____ BM. Parcel (PIN) no. _____
If different than shown in Item 4

for (Check One) Domestic () Stock () Domestic and Stock (X)

Additional places of use, if any _____

10. In which county (ies) are lands listed above as place of use located? Kootenai

11. Do you own the property listed above as place of use? Yes (X) No ()

If the answer is No, describe in Remarks below the authority you have to claim this water right.

12. Describe any other water rights used at the same place and for the same purposes as described above.

_____ or None (X)

13. Remarks:

14. Basis of Claim (Check One) Beneficial Use (X) Posted Notice () License () Permit () Decree ()

Court _____ Decree Date _____ Plaintiff v. Defendant _____

If applicable provide IDWR Water Right Number _____

15. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notices in the Coeur d'Alene-Spokane River Basin Adjudication." (b.) I/We do () do not (X) wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 0

For Individuals: I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant (s) _____

Date: 9-17-09

Karlina A. Worthington

Date: 9/17/09

For Organizations: I do solemnly swear or affirm under penalty of perjury that I am

_____ of _____,
Title Organization

that I have signed the foregoing document in the space below as

_____ of _____,
Title Organization

and that the statements contained in the foregoing document are true and correct.

Signature of Authorized Agent _____ Date _____

Title and Organization _____

16. Notice of Appearance:

Notice is hereby given that I, _____, will be acting as attorney at law of behalf of the claimant signing above, and that all notices required by law to be mailed by the director to the claimant signing above should be mailed to me at the address listed below.

Signature _____ Date _____

Address _____

Last Name _____ Identification No. _____


RECEIVED

SEP 17 2009

MAR 5 1993

WELL DRILLER'S REPORT

Department of Water Resources requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Thomas E. Brozie</u> Address <u>F.O.Box 132 Post Falls, Id 33854</u> <u>E. 1690 Twin Lakes Loop Rd.</u> Drilling Permit No. <u>95-91-N-115</u> Water Right Permit No. <u>95-91-N-200</u>		7. WATER LEVEL Static water level <u>399'</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>49</u> of. Quality _____ Describe artesian or temperature zones below.																																																																																																																	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Baller ☐ Air ☐ Other _____																																																																																																																	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		<table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Per</th></tr></thead><tbody><tr><td>15</td><td>399'</td><td>2</td></tr><tr><td>30</td><td>399'</td><td>2</td></tr><tr><td>36</td><td>399'</td><td>5</td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Per	15	399'	2	30	399'	2	36	399'	5																																																																																																				
Discharge G.P.M.	Pumping Level	Hours Per																																																																																																																	
15	399'	2																																																																																																																	
30	399'	2																																																																																																																	
36	399'	5																																																																																																																	
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From</th><th>To</th><th>Material</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>3</td><td>topsoil</td></tr><tr><td>8</td><td>3</td><td>8</td><td>gravel 3" minue 80%</td></tr><tr><td>8</td><td>8</td><td>10</td><td>gravel 1" minus 10%</td></tr><tr><td>8</td><td>10</td><td>27</td><td>topsoil 10%</td></tr><tr><td>8</td><td>27</td><td>51</td><td>gravel & boulders</td></tr><tr><td>8</td><td>51</td><td>62</td><td>grav. 4" min. grav. 2" min 40</td></tr><tr><td>6</td><td>62</td><td>68</td><td>Sand 20%</td></tr><tr><td>6</td><td>68</td><td>105</td><td>grav. 3" min. 40% grav 1" min</td></tr><tr><td>6</td><td>105</td><td>156</td><td>Gravel & boulders</td></tr><tr><td>6</td><td>156</td><td>190</td><td>grav. 3" min 40% grav. 1" min 6</td></tr><tr><td>6</td><td>190</td><td>201</td><td>grav 3" min 10% gravel 1" min 60%</td></tr><tr><td>6</td><td>201</td><td>249</td><td>156 grav 3/4 min 30% clay</td></tr><tr><td>6</td><td>249</td><td>278</td><td>190 grav 2" min 80% Clay lite br</td></tr><tr><td>6</td><td>278</td><td>408</td><td>Grav 6" min 80% sand med 20%</td></tr><tr><td>6</td><td>408</td><td>417</td><td>Grav 2" min 60% Grav 1" min 30%</td></tr><tr><td>6</td><td>417</td><td>425</td><td>Sand coarse 16%</td></tr><tr><td>6</td><td>425</td><td>427</td><td>Boulders</td></tr><tr><td>6</td><td>427</td><td>430</td><td>Cemented Gravel & boulder</td></tr><tr><td>6</td><td>430</td><td>434</td><td>Slow Going</td></tr><tr><td></td><td></td><td></td><td>Grav 4" min 20% Sand coarse</td></tr><tr><td></td><td></td><td></td><td>40% Sand Med 30% Sand fine 10</td></tr><tr><td></td><td></td><td></td><td>Grav 2" min 30% sand coarse 40</td></tr><tr><td></td><td></td><td></td><td>425% sand fine 30%</td></tr><tr><td></td><td></td><td></td><td>Grav 2 min 30% sand coarse 40</td></tr><tr><td></td><td></td><td></td><td>427% sand fine 30% cemented</td></tr><tr><td></td><td></td><td></td><td>Gravel cemented with cla</td></tr><tr><td></td><td></td><td></td><td>& silt laid thru it</td></tr></tbody></table>		Bore Diam.	Depth From	To	Material	8	0	3	topsoil	8	3	8	gravel 3" minue 80%	8	8	10	gravel 1" minus 10%	8	10	27	topsoil 10%	8	27	51	gravel & boulders	8	51	62	grav. 4" min. grav. 2" min 40	6	62	68	Sand 20%	6	68	105	grav. 3" min. 40% grav 1" min	6	105	156	Gravel & boulders	6	156	190	grav. 3" min 40% grav. 1" min 6	6	190	201	grav 3" min 10% gravel 1" min 60%	6	201	249	156 grav 3/4 min 30% clay	6	249	278	190 grav 2" min 80% Clay lite br	6	278	408	Grav 6" min 80% sand med 20%	6	408	417	Grav 2" min 60% Grav 1" min 30%	6	417	425	Sand coarse 16%	6	425	427	Boulders	6	427	430	Cemented Gravel & boulder	6	430	434	Slow Going				Grav 4" min 20% Sand coarse				40% Sand Med 30% Sand fine 10				Grav 2" min 30% sand coarse 40				425% sand fine 30%				Grav 2 min 30% sand coarse 40				427% sand fine 30% cemented				Gravel cemented with cla				& silt laid thru it
Bore Diam.	Depth From	To	Material																																																																																																																
8	0	3	topsoil																																																																																																																
8	3	8	gravel 3" minue 80%																																																																																																																
8	8	10	gravel 1" minus 10%																																																																																																																
8	10	27	topsoil 10%																																																																																																																
8	27	51	gravel & boulders																																																																																																																
8	51	62	grav. 4" min. grav. 2" min 40																																																																																																																
6	62	68	Sand 20%																																																																																																																
6	68	105	grav. 3" min. 40% grav 1" min																																																																																																																
6	105	156	Gravel & boulders																																																																																																																
6	156	190	grav. 3" min 40% grav. 1" min 6																																																																																																																
6	190	201	grav 3" min 10% gravel 1" min 60%																																																																																																																
6	201	249	156 grav 3/4 min 30% clay																																																																																																																
6	249	278	190 grav 2" min 80% Clay lite br																																																																																																																
6	278	408	Grav 6" min 80% sand med 20%																																																																																																																
6	408	417	Grav 2" min 60% Grav 1" min 30%																																																																																																																
6	417	425	Sand coarse 16%																																																																																																																
6	425	427	Boulders																																																																																																																
6	427	430	Cemented Gravel & boulder																																																																																																																
6	430	434	Slow Going																																																																																																																
			Grav 4" min 20% Sand coarse																																																																																																																
			40% Sand Med 30% Sand fine 10																																																																																																																
			Grav 2" min 30% sand coarse 40																																																																																																																
			425% sand fine 30%																																																																																																																
			Grav 2 min 30% sand coarse 40																																																																																																																
			427% sand fine 30% cemented																																																																																																																
			Gravel cemented with cla																																																																																																																
			& silt laid thru it																																																																																																																
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>.250 inches</td><td>6 inches</td><td>2 feet</td><td>409 feet</td></tr><tr><td>.250 inches</td><td>6 inches</td><td>392 feet</td><td>434 feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No K-Packer Perforated? ☒ Yes ☐ No on 5" line How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun Size of perforation <u>1/8</u> inches by <u>6</u> inches Number _____ From _____ To _____ <u>126</u> perforations <u>409</u> feet <u>430</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☒ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>40</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>Pitless Adapter Cap</u>		Thickness	Diameter	From	To	.250 inches	6 inches	2 feet	409 feet	.250 inches	6 inches	392 feet	434 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	10. Lost 40 days due to bad weather Work started <u>11/30/92</u> finished <u>2/16/93</u>																																																																																													
Thickness	Diameter	From	To																																																																																																																
.250 inches	6 inches	2 feet	409 feet																																																																																																																
.250 inches	6 inches	392 feet	434 feet																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> SE 1/4 SE 1/4 Sec. 31, T. 53 N 1/4 S 1/4 R. 4 W 1/4		11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standard complied with at the time the rig was removed. Firm Name <u>C.J. WARREN & SON</u> Firm No. <u>436</u> WELL DRILLING Address <u>S. 3005 Best Rd</u> Date <u>2/20/93</u> <u>Veradale, Wa 99037</u> Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u> (Operator)																																																																																																																	