

RECEIVED

FEB 20 2018

04/09/2018

DEPARTMENT OF  
WATER RESOURCES

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-16787

MARK GREGORY  
9760 E HOWARD RD  
ATHOL ID 83801  
Telephone Number: 2086830220

CORINNE GREGORY  
9760 E HOWARD RD  
ATHOL ID 83801  
Telephone Number: 2086830220

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

2-15-18

SIGNATURE:

Mark Gregory

Please print your name:

Mark Gregory

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800