

RECEIVED

FEB 20 2018

04/09/2018

NOTICE OF ERROR
REPLY

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-11985

PATRICK F DINNEEN
16900 N TREE TOP CT
RATHDRUM ID 83858
Telephone Number: (208) 215-6902

FRANCINE R DINNEEN
16900 N TREE TOP CT
RATHDRUM ID 83858
Telephone Number: (208) 215-~~6902~~

6031

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 2/15/18

SIGNATURE:

Patrick F. Dinneen

Please print your name:

Patrick F. Dinneen

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800