

RECEIVED

FEB 20 2018

04/09/2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-12327

CAROL A EACHON

~~PO BOX 1762~~

~~HAYDEN ID 83835~~

~~Telephone Number: 2086838057~~

DAVID V EACHON

~~PO BOX 1762~~

~~HAYDEN ID 83835~~

~~Telephone Number: 2086838057~~

5640 E. Native Lane Athol, ID
208659-7178 cell
5640 E. Native Lane Athol, ID
208 659-6991 cell

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 2-15-17

SIGNATURE:

David V Eachon

*

Please print your name:

DAVID V EACHON

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800