

02/09/2018 RECEIVED

FEB 20 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-12328

GREGORY A PILE
12808 48TH ST E
EDGEWOOD WA 98372-9305
Telephone Number: 2538638450

MELISSA A PILE
12808 48TH ST E
EDGEWOOD WA 98372-9305
Telephone Number: 2538638450

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: _____

Please print your name: _____

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

We have not
owned this property
for several years -
Please contact current
owners -

Thank-you
Greg Pile
Melissa Pile