

RECEIVED

FEB 20 2018

04/09/2018

NOTICE OF ERROR
REPLY

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-10464

CLIFTON HALL
89 W HWY 54
SPIRIT LAKE ID 83869

LORI HALL
89 W HWY 54
SPIRIT LAKE ID 83869

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Purpose:
(Quantity 13000 per home)

2. Describe the changes you wish to make in the proposed recommendation:

Domestic use (1) Home
* There ARE Two homes on this Property

3. Give a brief explanation as to why you disagree with these portions:

A second home was put on this Property
Last Year 2017.

☐ I AGREE with this proposed recommendation: no changes need to be made

DATE:

2-17-17

SIGNATURE:

Clifton Hall

Please print your name:

Clifton Hall

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

* Please Adjust Quantities for
Two(2) homes