

RECEIVED

FEB 21 2018

DEPARTMENT OF  
WATER RESOURCES

02/09/2018

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-10492

DOUGLAS ALBERT  
7203 E OHIO MATCH RD  
HAYDEN ID 83835  
Telephone Number: 2087624642

MICHELLE ALBERT  
7203 E OHIO MATCH RD  
HAYDEN ID 83835  
Telephone Number: 2087624642

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

       I AGREE with this proposed recommendation: no changes need to be made.

DATE:

2/20/18

SIGNATURE:

Michelle Albert

Please print your name:

MICHELLE ALBERT

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800