

RECEIVED

FEB 23 2018

IDWR/NORTHERN

02/09/2018

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-9235

TERRY FERRIS
5278 E UPPER HAYDEN LAKE RD
HAYDEN ID 83835
Telephone Number: 2087623437

DIANNE CHRISTENSEN
5278 E UPPER HAYDEN LAKE RD
HAYDEN ID 83835
Telephone Number: 2087623437

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 2-23-18 SIGNATURE: Terry Ferris
Please print your name: TERRY FERRIS

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D'ALENE, ID 83815-7763, (208) 762-2800

Dianne Christensen 2/23/18