

02/09/2018

RECEIVED

FEB 23 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-9963

BAPTISTA HOLLINGSHEAD TRUST
2199 BLANCHARD ELK RD
BLANCHARD ID 83804

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

~~PLACE OF USE~~

EXPLANATORY MATERIAL

2. Describe the changes you wish to make in the proposed recommendation:

PARCEL NO. RP 0150300001A0A

3. Give a brief explanation as to why you disagree with these portions:

BLACKBURN MOUNT MEWS REPLAT OF DEHAVEN SUBDIVISION IS NOW
37.862 CONTIGUOUS ACRES IN 1 LOT.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 2/20/2018

SIGNATURE: L Susan Hollingshead

Please print your name: L SUSAN HOLLINGSHEAD

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D'ALENE, ID 83815-7763, (208) 762-2800