

02/09/2018 RECEIVED
FEB 23 2018
DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-10246

CARL D ANKRUM
PO BOX 23
ATHOL ID 83801
Telephone Number: 2086834037

~~BARBARA D ANKRUM
PO BOX 23
ATHOL ID 83801
Telephone Number: 2086834037~~

PLEASE omit Barbara Ankrum's Name,
AS WE ARE divorced.

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

I would LIKE AT LEAST 20,000 gallons per day

3. Give a brief explanation as to why you disagree with these portions:

13,000 might not BE Enough with LIVESTOCK, and garden

Thank you DAVE Ankrum
DAVE Ankrum

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: _____

Please print your name: _____

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800