

RECEIVED

02/09/2018

FEB 23 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-4108

HERBERT E SMETHERAM
3985 LAKE MIRA DR
ORLANDO FL 32817
Telephone Number: 4076718591

BEVERLY J SMETHERAM
3985 LAKE MIRA DR
ORLANDO FL 32817
Telephone Number: 4076718591

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X

I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____

SIGNATURE: _____

Herbert E Smetheram

Please print your name: _____

Herbert E SMETHERAM

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

Beverly J. Smetheram
Beverly J SMETHERAM