

02/09/2018

RECEIVED

FEB 23 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-13888

RICHARD PORTNER
7866 E OHIO MATCH RD
HAYDEN ID 83835
Telephone Number: 2087621301

LINDA PORTNER
7866 E OHIO MATCH RD
HAYDEN ID 83835
Telephone Number: 2087621301

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE:

2/15/18

SIGNATURE:

Richard C. Portner

Please print your name:

Richard C Portner

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800