

02/09/2018

RECEIVED

FEB 26 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-10906

KEITH MAGNUS

15198 N RIMROCK RD

HAYDEN ID 83835

Telephone Number: ~~208-772-9928~~ 208-659-1038

SUSAN MAGNUS

15198 N RIMROCK RD

HAYDEN ID 83835

Telephone Number: ~~208-772-9928~~ 208-818-8186

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE:

2/9/2018

SIGNATURE:

Keith Magnus

Susan Magnus

Please print your name:

KEITH MAGNUS

SUSAN MAGNUS

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800