

RECEIVED
02/22/2018 FEB 27 2018
IDWR / NORTH

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-13990

~~JOHN W BREWER~~
~~2502 E AMBERWOOD CT~~
~~SPOKANE WA 99223~~
~~Telephone Number: 5095354790~~

~~ANNE BREWER LAUDERBAUGH~~
~~2012 E POST~~
~~SPOKANE WA 99203~~

~~LISA BREWER STOWERS~~
~~24200 NORDVIE PL NW~~
~~POULSBRO WA 98370~~

~~MARY BREWER THOMSON~~
~~PO BOX 2350~~
~~VASHON WA 98070~~

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Recommendation Says: ground water, but it comes from lake.

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

Can't find a well!

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 2-27-18 SIGNATURE: 
Please print your name: KENNETH BEUSLE

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, 2087622800