

02/09/2018

NOTICE OF ERROR
REPLY

RECEIVED

MAR 06 2018

IDWR/NORTHERN

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-9718

HARRY CRAVIOTTO
24018 N MCCOY RD
ATHOL ID 83801
Telephone Number: 2086592662

THERESA CRAVIOTTO
24018 N MCCOY RD
ATHOL ID 83801
Telephone Number: 2086592662

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

3/6/2018

SIGNATURE:

[Signature of Harry Cravotto]
Please print your name: Harry Cravotto

[Signature of Theresa Cravotto]
Theresa Cravotto

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800