

RECEIVED

02/09/2018
MAR 07 2018

NOTICE OF ERROR
REPLY

IDWR/NORTHERN

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-11846

DANIEL F MORINE Jr.

16910 TREE TOP CT

RATHDRUM ID 83858

Telephone Number: 2086871107

N. Tree top Ct.

DONNA L MORINE

16910 TREE TOP CT

RATHDRUM ID 83858

Telephone Number: 2086871107

N. Tree top Ct.

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

up date address

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3-5-18

SIGNATURE: Donna L Morine

Please print your name: Donna L. Morine

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

14090 N. Tree top Ct