

RECEIVED

04/09/2018

MAR 08 2018

NOTICE OF ERROR
REPLY

IDWR/NORTHERN

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-8365

KENNETH B FRANK
2251 E HONEYSUCKLE
HAYDEN LAKE ID 83835
Telephone Number: 2087726214

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Name and Address

2. Describe the changes you wish to make in the proposed recommendation:

Add: Lorene Frank
2251 E. Honeysuckle
Hayden Lake, ID 83835

3. Give a brief explanation as to why you disagree with these portions:

Lorene Frank was included on original license and application

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3/8/18

SIGNATURE:

Kenneth B. Frank Kenneth B Frank

Please print your name:

Kenneth B Frank

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800