

RECEIVED
MAR 08 2018
IDWR/NORTHERN

02/09/2018

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-14014

WILLIAM J REINDEL
14346 W WINCH AVE
RATHDRUM ID 83858
Telephone Number: ~~2086871443~~

(208) 687-2576

MARGARET K REINDEL
14346 W WINCH AVE
RATHDRUM ID 83858
Telephone Number: ~~2086871443~~

(208) 687-2576

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 03/08/18 SIGNATURE: William J. Reindel
Please print your name: William J. Reindel

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800