

02/09/2018

RECEIVED

MAR 05 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-12149

CONRAD LAHR
2510 NETTLETON GULCH RD
COEUR D ALENE ID 83815

MARILYN LAHR
2510 NETTLETON GULCH RD
COEUR D ALENE ID 83815

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

I disagree for several reasons and have questions concerning the proposal.

2. Describe the changes you wish to make in the proposed recommendation:

I will attend one of the presentations.

3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 2-23-2018 SIGNATURE: _____

Please print your name: _____

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (2080 762-2800