

04/09/2018

RECEIVED

MAR 09 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-10724

BROOK GRASSER
14101 E TWETE RD
ATHOL ID 83801
Telephone Number: 2086839912

ELANE NEELY
14101 E TWETE RD
ATHOL ID 83801

GENE GRASSER
14101 E TWETE RD
ATHOL ID 83801

MYRNA GRASSER
14101 E TWETE RD
ATHOL ID 83801

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3-3-18 SIGNATURE: Brook Grasser
Please print your name: BROOK GRASSER

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800