

02/09/2018

RECEIVED

MAR 09 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-4239

~~RAYMOND J KENSOK~~
S 2610 BOLIVAR RD
VERADALE WA 99037

Carol Measel
10040 W. Twin Lakes Rd
Rathtoun, ID 83858

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3/7/18

SIGNATURE: Carol Measel

Please print your name: CAROL MEASEL

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

My dad, Ray Kensok
passed away Aug 4, 2015.
I inherited this
property.

Carol Measel