

RECEIVED
02/09/2018
MAR 12 2018
DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-899

CATHERINE ANNA BAYNE ROBERTS
908 W WASHINGTON
LEWISTOWN MT 59487

THOMAS M BAYNE
~~2804 W CLEVELAND AVE~~
SPOKANE WA 99205

THOMAS M Bayne
915 W. Woodward
Spokane WA 99218

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3/08/2018 SIGNATURE: Catherine Anna Bayne Roberts
Please print your name: Catherine Anna Bayne Roberts

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800