

RECEIVED

04/09/2018

MAR 14 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-184

GERALD D HOUSE
9100 N CHALET
HAYDEN LAKE ID 83835

PATRICIA S HOUSE
9100 N CHALET
HAYDEN LAKE ID 83835

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made. -- SEE NOTE BELOW

DATE: 3/9/2018 SIGNATURE: Patricia S. House

Please print your name: PATRICIA S. HOUSE

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

Please remove my late husband's name from future information and correspondence from IDWR.

Thanks,

PS House