

NOTICE OF ERROR
REPLY

RECEIVED
MAR 12 2018
04/09/2018
IDWR/NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-8620

JAY M DECKER
8093 W PRAIRIE AVE
POST FALLS ID 83854-5903
Telephone Number: 2087733247

NORTHLAND NURSERY
8093 W PRAIRIE AVE
POST FALLS ID 83854-5903
Telephone Number: 2087733247

DIANNA DECKER
8093 W PRAIRIE AVE
POST FALLS ID 83854-5903
Telephone Number: 2087733247

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

✓
I AGREE with this proposed recommendation: no changes need to be made.

DATE:

Mar 12/18

SIGNATURE:

Jay M. Decker

Please print your name:

Jay M. Decker

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800