

RECEIVED

MAR 14 2018

02/09/2018

IDWR/NORTHERN

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-13194

CHRIS KRAFT

~~5173 E HUDLOW RD~~

HAYDEN ID 83835-7758

Telephone Number: 2087722394

17113 N. Krafts St.

LINDA KRAFT

~~5173 E HUDLOW RD~~

HAYDEN ID 83835-7758

Telephone Number: 2087722394

17113 N. Krafts St.

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3-14-18

SIGNATURE:

Chris T. Kraft

Please print your name:

Chris T. Kraft

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800