

RECEIVED

MAR 13 2018

IDWR/NORTHERN

02/09/2018

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-13864

DONALD J BROWN
20587 N LESTER CT
ATHOL ID 83801

Telephone Number: ~~2087720025~~ 208-659-9428

KELLY A BROWN
20587 N LESTER CT
ATHOL ID 83801

Telephone Number: ~~2087720025~~ 208-659-9433

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3/13/18

SIGNATURE:

Please print your name:

Donald J Brown *Kelly A Brown*
Donald J. Brown *Kelly A Brown*

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800