

RECEIVED

MAR 13 2018

02/09/2018

NOTICE OF ERROR
REPLY

IDWR/NORTHERN

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-8896

COEUR D ALENE PUBLIC GOLF CLUB INC
2321 W FAIRWAY DR
COEUR D ALENE ID 83815
Telephone Number: 2087651658

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Total combined diversion rate

2. Describe the changes you wish to make in the proposed recommendation:

Maximum diversion capacity to 1.59 ^{c.f.s.} ~~per license~~

3. Give a brief explanation as to why you disagree with these portions:

As per license.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3/13/18 SIGNATURE: Bml Bml
Please print your name: Brandon Bubar

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800