

RECEIVED

02/09/2018

MAR 22 2018

DEPARTMENT OF  
WATER RESOURCES

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-10611

KATHLEEN A BILLINGSLEY

6628 E GREYRIDGE RD

ATHOL ID 83801

Telephone Number: 2086830250

ERNEST RODRIGUES

6628 E GREYRIDGE RD

ATHOL ID 83801

Telephone Number: 2086830250

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

       I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3-15-2018 SIGNATURE: Kathleen A. Billingsley  
Please print your name: KATHLEEN A. BILLINGSLEY

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800