

03/13/2018

RECEIVED

MAR 22 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-10046

RONNIE D CLARK
7077 E GREYRIDGE RD
ATHOL ID 83801

SANDRA C CLARK
7077 E GREYRIDGE RD
ATHOL ID 83801

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: _____

Please print your name: _____

A PLAT COPY OF "BRIGHT STAR" LOTS IS ATTACHED.
WITH LOTS 6, 8, AND 9 CIRCLED WHICH SHARE THE
WELL ON LOT 10, WHICH IS CIRCLED.


LOT 11 HAS THEIR OWN WELL AND DOES NOT SHARE
THE WELL ON LOT 10.

I HAVE RE-MARKED THE AERIAL VIEW W/ CORRECTIONS.

S.C.W.

KOOTENAI COUNTY, IDAHO

Book I Page 495



SAVES OF BEARING

FOR THE BUYER'S OFFICE

9 EDITOR GENERAL

THE FAY HAS BEEN RECALLED BY ACCORDANCE WITH BOND CODE AND DOES NOT NECESSARILY MEET THE REQUIREMENTS OF THE NATIONAL CREDIT RATHER THAN BEING A MEMBER FOR BOND, WATER, EARTH AND FIRE PROTECTION.



PHONE (208) 338-7711 • FAX (208) 338-7712
• 430 POST STREET, POST FALLS, IDAHO •
www.bright-stair.com

LOT 6, 8, 9, 10
SHARES WOULD ON LOT 10

A. J. G. J.

95-10046 Point of Diversion

