

RECEIVED

02/09/2018

MAR 22 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-14041

JAMES W OBERG
15942 N CRYSTAL SPRINGS LN
RATHDRUM ID 83858
Telephone Number: 2086875800

LAVERNE W OBERG
15942 N CRYSTAL SPRINGS LN
RATHDRUM ID 83858
Telephone Number: 2086875800

Michael V. Lowe & Lori A. Lowe
15948 N. Crystal Springs LN
Rathdrum, ID 83858
Telephone #: 208-860-9834

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Purpose of use

2. Describe the changes you wish to make in the proposed recommendation:

Domestic use is for "2" homes

3. Give a brief explanation as to why you disagree with these portions:

A second home was built on the section of land and serviced by the same well over 18 years ago.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 03/07/2018

SIGNATURE: James W. Oberg

Please print your name: James W. Oberg

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800