

02/09/2018

RECEIVED

MAR 23 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-14805

BRAD PORTER
8421 N VOGT RD
HAUSER ID 83854
Telephone Number: 2086510971

KRISTA PORTER
8421 N VOGT RD
HAUSER ID 83854
Telephone Number: 2087770640

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity

2. Describe the changes you wish to make in the proposed recommendation:

Why am I only allowed 13,000 Gallons per day

3. Give a brief explanation as to why you disagree with these portions:

my water Right allows me 38,880 Gallons of water per day
 $0.060 \text{ CFS} = 27 \text{ GPM} \times 1440 = 38,880 \text{ GPD}$

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____

SIGNATURE: _____

Please print your name: _____

Brad m Porter