

02/09/2018

RECEIVED

MAR 26 2018

DEPARTMENT OF  
WATER RESOURCES

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-10795

CHRIS SMITH

8729 W HAYSTACK LN

COEUR D ALENE ID 83814

Telephone Number: 4068687595 208.215.0990

KIMBERLY ASHMORE

8729 W HAYSTACK LN

COEUR D ALENE ID 83814

Telephone Number: 4068687595

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3/12/18

SIGNATURE:

Please print your name:

Christopher Smith.

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800