

RECEIVED

02/09/2018

MAR 26 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-15589

JACK MERVIN
PO BOX 157
BLANCHARD ID 83804
Telephone Number: 2084372701

DAWN MERVIN
PO BOX 157
BLANCHARD ID 83804
Telephone Number: 2084372701

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity - .040 CFS (shall not exceed 13,000 gallons per day -
Purpose & period of use Domestic .040 CFS Stockwater .020 CFS

2. Describe the changes you wish to make in the proposed recommendation;

Quantity I own the well and equipment used to pump water, I also pay the power bill to pump water
I don't want a limit placed on how much water I can use, I need to use how much I have to
to make my property function to pursue happiness

3. Give a brief explanation as to why you disagree with these portions:

there is no water use listed for agricultural crop usage, orchard, garden
alfalfa, wheat, corn,

Don't
I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3/01/18

SIGNATURE: [Signature]

Please print your name: JACK MERVIN

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800