

NOTICE OF ERROR
REPLY

02/09/2018
RECEIVED
MAR 27 2018

IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-12056

TROY BAKER
27736 N HAYLOFT RD
ATHOL ID 83801

CYNTHIA BAKER
27736 N HAYLOFT RD
ATHOL ID 83801

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

The well is on my neighbors parcel

2. Describe the changes you wish to make in the proposed recommendation:

Diversion point is @ 27798 N Hayloft Rd
See claim no. 95-11939

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3-27-18

SIGNATURE:

Roberta Campbell

Please print your name:

Roberta Campbell

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

