

RECEIVED

02/09/2018

MAR 28 2018

DEPARTMENT OF  
WATER RESOURCES

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-11074

WILLIAM M CONROY  
PO BOX 644  
RATHDRUM ID 83858  
Telephone Number: 2086872119

MARY S CONROY  
PO BOX 644  
RATHDRUM ID 83858

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 23 MAR. '18

SIGNATURE:

William M. Conroy

Mary S. Conroy

Please print your name:

William M. Conroy

Mary S. Conroy

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D'ALENE, ID 83815-7763, (208) 762-2800