

RECEIVED

02/09/2018

MAR 28 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-4215

EDWARD R ADAMCHAK JR
719 S GREENSFERRY RD
POST FALLS ID 83854
Telephone Number: 2087733281

JULIE A ADAMCHAK
719 S GREENSFERRY RD
POST FALLS ID 83854
Telephone Number: 2087733281

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 03/25/2018 SIGNATURE: Edward R Adamchak Jr

Please print your name: EDWARD R ADAMCHAK JR

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

State of Idaho
Department of Water Resources
Adjudication Recommendation
95-4215

December 12, 2017



Point of Diversion

0 0.035 0.07 0.14 Miles

-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections

please note that the point of diversion
is approximately 40' ~~EAST~~ ^{WEST} of
the location above.

met with ZUAW RODA, Senior
water resource agent Mont Rey. off
on 3/20/18. He said it is just a GPS error.

