

RECEIVED

MAR 20 2018

02/09/2018

IDWR / NORTH

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-10517

MICHAEL VAN SLATE II

PO BOX 566

RATHDRUM ID 83858

Telephone Number: 2086873522 208-964-5855

BRENDA VAN SLATE

PO BOX 566

RATHDRUM ID 83858

Telephone Number: 2086873522 208-964-1111

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

I DISAGREE WITH THE QUANTITY OF USE.

2. Describe the changes you wish to make in the proposed recommendation:

I WISH TO CHANGE THE QUANTITY OF WATER TO A MAXIMUM OF 26,000 GALLONS PER DAY, FOR 2 HOMES.

3. Give a brief explanation as to why you disagree with these portions:

WE PLAN TO BUILD A RENTAL HOME ON OUR PROPERTY AND WILL NEED ADDITIONAL WATER FOR THIS AS WELL AS LANDSCAPING, GARDEN, ANIMALS, ETC.

~~I AGREE with this proposed recommendation: no changes need to be made.~~

DATE: 3-9-18

SIGNATURE: Michael P. Van Slate

Please print your name: MICHAEL P. VAN SLATE