

NOTICE OF ERROR
REPLY

02/09/2018

RECEIVED

MAR 15 2018

IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-13201

BRUYA LLC

C/O TIM BRUYA

3249 S HIGH DR

SPOKANE WA 99203

Telephone Number: 5097728348

Bruya Family LLC

40 Edward Bruya

3215 S. High Dr

SPOKANE WA 99203

509-951-6267

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

parcel # of place of use is wrong. it should be
51N03W220120

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

I AGREE with this proposed recommendation: no changes need to be made.

DATE:

3/15/18

SIGNATURE:

Edward Bruya

Please print your name:

Edward Bruya

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800