

RECEIVED

MAR 19 2018

IDWR/NORTHERN

02/09/2018

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-14863

ADAM METZGER
PO BOX 2380
POST FALLS ID 83877
Telephone Number: 2087731451

DENISE METZGER
PO BOX 2380
POST FALLS ID 83877
Telephone Number: 2087731451

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Phone Numbers incorrect

2. Describe the changes you wish to make in the proposed recommendation:

Adam Metzger's phone # 509-999-7709
Denise Metzger phone # 509-251-7111

3. Give a brief explanation as to why you disagree with these portions:

Phone Number listed no longer in use

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

3/19/18

SIGNATURE:

Adam Metzger

Please print your name:

Adam Metzger

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800