

NOTICE OF ERROR
REPLY

02/09/2018
RECEIVED

MAR 29 2018

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-8041

NORTH IDAHO POST & POLE CO

PO BOX 296

HAYDEN LAKE ID 83835

Telephone Number: 2087723942

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

quantity of water from 2,500 / day to 13,000 / day

2. Describe the changes you wish to make in the proposed recommendation:

We have a post mill operation & need more water than just for our office.

3. Give a brief explanation as to why you disagree with these portions:

AGAIN, WITH A PRODUCTION MILL, CHIPS, 10 PEOPLE WORKING HERE, WE NEED MORE WATER DAILY.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

3-27-18

SIGNATURE:

Chris Pokorny

Please print your name:

Chris Pokorny

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800