

04/09/2018

RECEIVED

MAR 29 2018

DEPARTMENT OF  
WATER RESOURCES

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-15112

WILLIAM E DANISH  
PO BOX 574  
SAGLE ID 83860  
Telephone Number: 2086833977

SHIRLEY A DANISH  
PO BOX 574  
SAGLE ID 83860  
Telephone Number: 2086833977

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

purpose of use - in process of building a 2nd home on this 20 acres, utilizing the same well.

2. Describe the changes you wish to make in the proposed recommendation:

Explanatory material - Add  
Stockwater use is for 20 mixed head stock.

3. Give a brief explanation as to why you disagree with these portions:

now running 10 cow/calf pairs on the property.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 03/17/18 SIGNATURE: Shirley A. Danish  
Please print your name: Shirley A. Danish

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800