

04/09/2018

NOTICE OF ERROR
REPLY

RECEIVED

MAR 29 2018

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-15607

ARTHUR HOENER
BOX 889
BAYVIEW ID 83803

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

8/31/69 Year round Bayview Creek

2. Describe the changes you wish to make in the proposed recommendation:

Add - B0999014005A
Bayview, LT 5, 6 BLK 14

3. Give a brief explanation as to why you disagree with these portions:

It's registered under Jeffery Hoener, etc. located between properties registered under Arthur Hoener.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3/19/18

SIGNATURE: Arthur Hoener

Please print your name: Arthur Hoener

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800