

RECEIVED

02/09/2018

MAR 30 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-14002

MARK MARTIN
17123 N LOLO DR
RATHDRUM ID 83858
Telephone Number: 2086870855

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Purpose of use: The domestic use is for two homes.

2. Describe the changes you wish to make in the proposed recommendation:

*Add 17011 N. Lolo Dr Rathdrum, ID 83858
PN# 52N04W 285620 to the water right.*

3. Give a brief explanation as to why you disagree with these portions:

*This well has always served as the water source
for both these homes.*

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: *Mark Martin*

Please print your name: Mark Martin

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800