

RECEIVED

04/09/2018

APR 02 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-16842

GREG DELAVAN
3665 S BOOTHE PARK RD
COEUR D ALENE ID 83814
Telephone Number: 2086615900

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Tributary is CBA River & St. Joe River (Spokane River is actual)
Average is 1.2 AC not 0.2

2. Describe the changes you wish to make in the proposed recommendation:

Correct Average to 1.2 AC
Correct map to cover all property
increase quantity with average

3. Give a brief explanation as to why you disagree with these portions:

___ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

3/26/18

SIGNATURE:

Greg Delavan

Please print your name:

Greg Delavan

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800