

RECEIVED

MAR 28 2018

02/09/2018

NOTICE OF ERROR
REPLY

IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-8737

HAGADONE HOSPITALITY CORP
PO BOX 6200
COEUR D'ALENE ID 83816
Telephone Number: 2086673431

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Combined limits

2. Describe the changes you wish to make in the proposed recommendation:


2.89 cfs when combined with 95-4394 & 95-8593.

3. Give a brief explanation as to why you disagree with these portions:

The proposed recommendation incorrectly states that a portion of the combined diversion has been forfeited due to non-use. The acres that have irrigated by the golf course system have never changed. We agree with the recommendation of 133.5 acres for the golf course. What has changed since the water right license exam was done in 1994 is our ability to more accurately determine acres because of GIS technology. Even if the acreage had been reduced, no portion of the diversion rate would be lost because the system continued to pump at the same rate.

____ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3/27/18

SIGNATURE: 

Please print your name: Norman M Semanko