

RECEIVED

APR 02 2018

02/09/2018

NOTICE OF ERROR
REPLY

IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-12878

ARTHUR TRENKLE
6025 W HARBOR DR
COEUR D ALENE ID 83814
Telephone Number: 2086760997

SUSAN TRENKLE
6025 W HARBOR DR
COEUR D ALENE ID 83814
Telephone Number: 2086760997

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

x Agree with APL

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 4/2/2018 SIGNATURE: Susan Trenkle

Please print your name: _____

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800