

NOTICE OF ERROR
REPLY

02/09/2018

RECEIVED
APR 05 2018

IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-15943

PATSY J BARNHART
486 KRIPPLE CREEK RD
ATHOL ID 83801
Telephone Number: 2086832029

PHILIP BARNHART
486 KRIPPLE CREEK
ATHOL ID 83801
Telephone Number: 2086832029

Priority Date incorrect

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

*see evidence and amended claim
should be 1940*

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

____ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 4/5/18

SIGNATURE:

Philip Barnhart
Philip Barnhart

Please print your name:

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800