

RECEIVED

02/09/2018

MAR 30 2018

IDWR / NORTH

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-4730

JOHN C SYLTE  
8626 W SYLTE RANCH RD  
RATHDRUM ID 83858

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

The Source  
Priority Date

2. Describe the changes you wish to make in the proposed recommendation:

Source is a spring  
8-20-1910

3. Give a brief explanation as to why you disagree with these portions:

Not a well.

Changing priority date to reflect  
accurate historical usage.

I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3/30/18

SIGNATURE:

John Sylte

Please print your name:

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

3. Continued: Original usage was at Grandma's & a well was drilled for her usage in the early 1991 when water usage transferred to my home, from spring, at that time.